

GENERAL NOTES:


- A. FOR VOICE/DATA OUTLETS PROVIDE A SINGLE GANG MUD-RING WITH A 1" CONDUIT FROM THE TOP OF THE MUD-RING TO ACCESSIBLE CEILING SPACE. TERMINATE CONDUIT WITH END CONNECTORS AND THREAD ON PLASTIC BUSHING FOR CABLE PROTECTION. OUTLET SHALL BE AT THE SAME HEIGHT AS ADJACENT POWER OUTLET AND LESS THAN 18" SEPARATION. COORDINATE WITH ELECTRICAL.
- B. COORDINATE ALL DEVICE LOCATIONS WITH LATEST ARCHITECTURAL INTERIOR ELEVATIONS TO VERIFY DEVICES WILL NOT BE OBSTRUCTED.
- C. PROVIDE PULL STRING IN ALL CONDUITS FOR LATER USE.
- D. ALL PENETRATIONS THROUGH FIREWALLS WILL NEED FIRESTOP OF THE APPROPRIATE RATING.

1 PARTIAL FLOORPLAN - TELCOM  
T3.11 SCALE: 1/4" = 1'-0"


FIRE ALARM AND DETECTION SYSTEM IS A DEFERRED SUBMITTAL SYSTEM REQUIRING THE CONTRACTOR TO COMPLETE THE PERMIT READY DESIGN AND CALCULATIONS AS REQUIRED PER THE AUTHORITY HAVING JURISDICTION. VERIFY BUILDING OCCUPANCY TYPE AND OCCUPANT LOAD WITH ARCHITECTURAL PLANS.

M Consulting Engineers  
2007 S.E. Ash St.  
Portland, OR 97214  
PH: (503) 234-0648  
FAX: (503) 234-0677  
INC. WWW.MFIA-ENG.COM  
CONTACT: Gary Adovnik

CLARK KIOS  
ARCHITECTS, LLC



SLCH - ED and Surgery  
Samaritan Health Services: Lebanon Community Hospital  
525 N. Santiam Highway, Lebanon, OR 97355



ISSUE DATE: 06.05.2015

REVISIONS:

- △ OAR REV. 9-14-15
- △ SAME DAY REV. 10-5-15
- △ ASI - 07 02-25-16
- △ CCD #06 5/01/17
- △ CCD #10 1/12/18

PARTIAL  
FLOORPLAN -  
TELCOM

T3.11

Permit Set

Portland, OR 97209  
Phone: 503.224.4848  
Fax: 503.224.4848